

Colibacillosis

Kolibasilose | Colibacillosis | I-Colibacillosis | Colibacillosis

- The bacteria *Escherichia coli* can sometimes cause mastitis, abortion and urinary tract infections.
- Die bakterie *Escherichia coli* kan soms mastitis, aborsie en urienweginfeksies veroorsaak.
- Intsholongwane eyaziwa njenge-*Escherichia coli* inakho ngamanye amaxesha ukubangela ukudumba kwebele, ukuphunza nokosuleleka komjelo wokuchama.
- Igcwane i-*Escherichia coli* kungenzeka ngezinye izikhathi libangele umhlathingqi, ukuphunza kanye nokungcola komgudu wokuchama.
- Baktheria *Escherichia coli* ka dinako tse ding e ka baka mastitis, ho ntsha mpa le tshwaetso tsa urinary tract.



Stressful situations can cause Colibacillosis

- Over-crowding in camps
- Transportation of animals
- Sudden changes in temperature or diet
- Weaning

Spanningsvolle situasies kan Kolibasilose veroorsaak

- Oorvol kampe
- Vervoer van diere
- Spening
- Skielike verandering in temperatuur of dieet

Iimeko ezibuhlungu zinokubangela iColibacillosis

- Impahla eninzi emadlweni
- Ukuthuthwa kwempahla efuyiweyo ngesithuthi


- Ukutshintsha ngesiqophe kwamaqondo obushushu okanye kokutya
- Ukulumla

Izimo ezinengcindezi ezingabangela iColibacillosis

- Ukugcwala kakhulu ezinkanjini.
- Ukuthuthwa kwezilwane.
- Ushintsho olusheshayo ekushiseni noma ekudleni.
- Ukukhishwa ebeleni.

Maemo a bakang kगतello moyeng a ka baka Colibacillosis

- Ho teteana ho feta tekano dikamong.
- Ha ho tsamaiswa diphoofolo.
- Ho fetoha ka potlako ha themperetjhara kapa phepo.
- Ho fana ka dijo tse ding tseo e seng lebeso la mme.



Prevention

- Vaccinate pregnant cows regularly.
- Feed enough colostrum to newborn animals for at least 24 hours after birth.
- Feed calves regularly. The milk must not be cold.

Voorkoming

- Immuniseer dragtige koeie gereeld.
- Voer pasgebore diere genoeg biesmelk vir ten minste 24 uur na geboorte.
- Voer kalwers gereeld. Die melk moet nie koud wees nie.

Uthintelo

- Tofa iimazi zenkomo ezimithiyo qho.
- Fida amathole asandula ukuzalwa ngekholostram eyaneleyo kangangeeyure ezingama-24 ubuncinane emva kokuzalwa.
- Fida amathole qho. Ubisi kufuneka lungabandi.

Ukuvimbela

- Goma ngokuvamile izinkomazi ezimithi.
- Yondla nge-colostrum amankonyane asanda kuzalwa okungenani amahora angama-24 emva kokuzalwa.
- Yondla amankonyane ngokuvamile. Ubisi akufanele kube ngolubandayo.

Thibelo

- Entisa dikgomo tse emereng kgafetsa.
- Fepa diphoofolo tse sa tswa tswalwa colostrum e lekaneng bonyane dihoreng tse 24 ka mora ho tswalwa.
- Fepa dinamane kgafetsa. Lebeso ha le a tshwanela ho bata. **UM**

